

CCTV Site Survey Report

| | |
|------------------------------------|--|
| Application of System | |
| Indoor | |
| Outdoor | |
| B/W | |
| Color | |
| Location of Cameras | |
| Hallways | |
| Interior | |
| Parking Lot | |
| Perimeter | |
| Building | |
| Light Levels (Worst Case) | |
| Lens | |
| Wide Angle | |
| Normal | |
| Telephoto | |
| Zoom | |
| Camera Power | |
| 12 VDC | |
| 24 VAC | |
| 120 VAC | |
| Total Number of Cameras | |
| Pan & Tilts or Scanners | |
| Indoor | |
| Light Duty | |
| Medium Duty | |
| Heavy Duty | |
| Outdoor | |
| Light Duty | |
| Medium Duty | |
| Heavy Duty | |

| | |
|--|--|
| Housings | |
| Indoor | |
| Outdoor | |
| B/W | |
| Mounts | |
| Wall | |
| Ceiling | |
| Parapet | |
| Control Systems | |
| Pan & Tilt | |
| Zoom Lens | |
| Indoor | |
| Outdoor | |
| Seq. Switchers, Quads, Multiplexers | |
| Monitors | |
| 9" | |
| 12" | |
| 17" | |
| Other | |
| Recorders | |
| 24 Hr | |
| 24 Hr Real-Time | |
| Digital | |
| Other | |
| Cable Requirements | |
| Coax | |
| Twisted Pair | |
| Heavy Duty | |
| Fiber Optics | |
| Surge Suppression | |
| Transmission Equipment | |

Please copy and use this form for a site layout diagram.

Note scale size: = _____ ft.

